

Pediatric Health Literacy Case Study

Posted on September 11, 2019

Introduction

Health Literacy is the capability to attain, course, and appreciate health material to create well-informed health decisions. Health literacy is a central issue in the United States, upsetting more than one-third of infant children. Health literacy varies from standard literacy valuation since it contains proficiency in the calculation of prose literacy. Nearly half of all infant children in America have a deficiency in health literacy, which helps them to function sufficiently in the healthcare setting. Failure to purpose in the healthcare system can lead to insufficient health information, suboptimal health actions, inferior psychological health, pitiable clinical consequences, less use of healthcare facilities, improved hospitalizations, and higher healthcare care costs.

Description

In July 2017, a parent named Aliana, mother of the infant children, delivered a baby boy named Michael at the well-baby nursery unit (WBN) in Christiana Hospital. Aliana is an educated woman who has passed the master's level in nursing and has better knowledge of this issue rather than anyone else. She wanted to teach her boy, Michael, at a higher level and at one of the best universities in the world. She has shared some of the best knowledge with us about the consequences related to the parent regarding their teaching. She said it is to care sufficiently for their babies; parents should be able to understand typical nutrition & prescription tags, health worker commendations, and health teaching resources. However, most of the transcribed child health knowledge is too complicated for the parents to understand and utilize suitably. The typical young children's states AT the 8th level have a higher percentage of parent education resources, counting a few resources produced by the American Academy of Pediatrics (AAP), vaccine information sheets (VIS), and the newborn transmission series. (Sanders et al., 2009) She stated that little training has revealed that parents with lesser literacy are less expected to recognize significant features of pediatric preventive directions, comprising balancing dangers and assistance of repetitive injections, execution of home protection instructions, and treatment of collective domestic tragedies. In overall, lesser parent [health literacy](#) is linked to weaker [family health](#) actions and poorer child health consequences.

Assessment

Now, there are no such measures precisely considered for calculating the health literacy of young children's parents. Earlier training investigating parent literacy used measures that evaluated overall scholarship or principally evaluated health literacy in the background of adult medical care. She was

quite amazed and opened our eyes to the fact that the short test of useful literacy for grownups is the most useful procedure for grownup health literacy. The possible boundaries of existing health literacy rulers is the deficiency of particular to the pediatric situation, it required improving a new health literacy ruler definitely for parents that are concentrated and had the capability to recognize & relate little child-health associated information.

The parental health literacy activities test is a valuation scale that is considered to examine the health literacy and proficiency abilities of parents of infants. Objects in the test specific literacy and proficiency associated responsibilities that parents execute when concerned with young children, which include involvement in infant formulation, thoughtful breastfeeding commendations, treating over-the-counter (OTC), treatment medications, and understanding nutrition tags. She said this scale has assessed the dependability and hypothesis rationality of the parental health literacy activities test. Dependability was evaluated through in-house reliability testing. There are no certain standards for the legitimacy of parental health literacy and proficiency. Consequently, a different model of associations was resolute by the skilled board to assess hypothesis legitimacy. Then, it has been assumed that advanced levels of teaching, revenue, knowledge, and math assistance would all be connected with enhanced parental health literacy activities test scores. It has also been assumed that a higher parental health literacy activities test score can be compared with a greater knowledge of the stage suggestions for pediatric over-the-counter (OTC) cough & unemotional prescriptions. (Sørensen et al., 2012)

For the experiment, she said she was sent to provide a suitable sample of pediatric health centre positions at three hypothetical health organizations where teachers and inhabitants care for a socioeconomically different variety of patients. Other members were possibly coming within reach of the nearest clinic and asked to contribute if they were the parents of infants and for English speaking for the results.

From this, 413 qualified parents were stated, 261 agreed (63%), and 182 joined (70% of those agreed and 44% of those originally discussed). Applicants had parallel appearances to the relatives who pursued attention in the clinics. The popularity of parents questioned were the mothers, and the newest child in the family was typically 4.5 months old. In the end, most of the applicants stated that they had health knowledge about their new baby and had recited books or publications about child care, which was quite useful. Most applicants also described that they breastfed infants, whichever plan was used or a grouping of the method and breast milk. Half of the parents stated that they consume OTC prescriptions to give a child a temperature, and 29% of parents agreed on OTC cold medicines for youngsters.

It has been concluded that it is essential to treat the people living in rural areas who don't have much knowledge regarding this. They need more teaching in this area than the people of urban areas, but my interaction with her is beneficial and helpful.

References

Sanders, L. M., Federico, S., Klass, P., Abrams, M. A., & Dreyer, B. (2009). Literacy and child health: A systematic review. *Archives of Pediatrics & Adolescent Medicine*, 163(2), 131-140.

<https://doi.org/10.1001/archpediatrics.2008.539>

Sørensen, K., Van den Broucke, S., Fullam, J., Doyle, G., Pelikan, J., Slonska, Z., & Brand, H. (2012). Health literacy and public health: A systematic review and integration of definitions and models. *BMC Public Health*, 12, 80. <https://doi.org/10.1186/1471-2458-12-80>