

# Stress Management Strategies For Final Year Students

Posted on July 31, 2022

## Case Overview

A final-year student has been told that his grade-point average may make the transition into employment difficult. He responds by working harder, changing his sleep pattern, and trying to maintain social contact, but he begins to feel low and experience frequent minor illnesses. This case should not be reduced to the advice that stress must be kept “minimal.” Some pressure can focus attention, yet chronic or overwhelming stress can impair concentration, sleep, immunity, mood, and decision-making. The goal is to keep demands manageable and restore functioning, not to treat stress as a moral test of toughness. (Wuthrich et al., 2020)

The student’s situation combines academic performance, career uncertainty, finances, identity, and health. An effective plan begins with assessment: what changed, how long symptoms have lasted, how much sleep he gets, whether he is eating and using caffeine or alcohol differently, whether he can complete daily tasks, and whether he has hopelessness or thoughts of self-harm. Advice should match the severity of the problem.

## Recognizing Stress Signals

Common signs include irritability, racing thoughts, muscle tension, headaches, stomach symptoms, rapid breathing, poor concentration, procrastination, sleep disturbance, and withdrawal. Some students become excessively busy because constant activity temporarily suppresses anxiety. Others freeze and avoid tasks. Frequent colds may coincide with sleep loss and stress, but they can also have unrelated medical causes and should not be diagnosed from the scenario alone.

Feeling low for several days after disappointing feedback is different from persistent depression. Warning signs requiring professional help include symptoms lasting weeks, major loss of interest, inability to attend class, panic attacks, substance misuse, severe insomnia, disordered eating, or thoughts of death. Immediate crisis support is needed when safety is at risk.

## Reframing the GPA Message

The statement that a GPA is “not good enough” can be interpreted as a final judgment when it is actually one piece of feedback. Some employers use grade thresholds, while others weigh experience,

portfolios, communication, references, technical tests, and evidence of improvement. The student should identify which roles truly require a particular GPA instead of generalizing one warning to the entire labor market.

A career adviser can help translate academic experience into skills and identify realistic opportunities. The student might strengthen a résumé through a capstone project, internship, volunteer role, certification, research contribution, or work sample. Reframing does not deny the GPA; it converts an uncontrollable past result into present actions.

## Workload Mapping and Prioritization

The student should list all deadlines, exam dates, application tasks, financial obligations, and personal commitments. Large assignments can be divided into defined next actions such as locating three sources, drafting one section, or completing ten practice questions. Calendar blocks should include study, meals, sleep, exercise, travel, and recovery rather than assuming every unassigned hour is available for work.

Prioritization can use urgency and importance, but it also needs effort estimates. Students often overload a day because they plan by task count instead of time. A weekly review can identify work that can be reduced, delegated, delayed, or completed to an adequate rather than perfect standard.

## Study Strategies That Reduce Panic

Long hours are not automatically effective. Retrieval practice, spaced review, practice problems, and explaining material produce stronger learning than repeatedly rereading notes. Short focused sessions with planned breaks can reduce avoidance. Studying under conditions similar to the exam helps the student practice recall rather than familiarity.

When several courses compete, the student can allocate time based on assessment weight, current understanding, and opportunity for improvement. Seeking feedback early prevents hours spent following the wrong approach. Study groups are useful when they remain structured; they can increase anxiety if they become comparison sessions.

## Sleep as an Academic Strategy

Cutting sleep to create more study time often reduces memory, attention, emotional regulation, and judgment. The student should aim for a consistent schedule, reduce late-night caffeine, and create a wind-down period. If work must occasionally continue late, that should be an exception rather than the basic plan.

Worry in bed can be managed by writing down tomorrow's tasks before trying to sleep, keeping the phone away from the bed, and returning to a quiet activity if unable to sleep for a prolonged period. Persistent insomnia deserves medical or psychological assessment rather than repeated self-medication.

## Physical Activity, Nutrition, and Substances

Regular movement can reduce tension and improve mood, but it need not become another performance target. Walking, cycling, stretching, sport, or brief resistance exercise can fit different schedules. Meals should be regular enough to sustain concentration. Students under pressure may skip food and then rely on sugar or caffeine, creating swings in energy.

High caffeine intake can worsen rapid heartbeat, anxiety, and sleep. Alcohol or other drugs may seem to produce short-term relief while damaging sleep and increasing risk. A practical plan tracks when and why substances are used and seeks support if use feels difficult to control.

## Social Support Without Avoidance

Continuing to see friends can be protective, but social activity should not become a way to avoid urgent tasks. The student can tell trusted people what kind of support is useful: studying together, taking a walk, reviewing an application, or simply listening. Family expectations may need a direct conversation about time and pressure.

Academic staff, disability services, financial-aid staff, counseling services, and career centers offer different forms of help. Asking early is more effective than waiting for a crisis. Extensions or adjustments should be based on policy and documented need, not assumed entitlement.

## Managing Comparison and Perfectionism

Final-year students often compare grades, job offers, salaries, and postgraduate plans. Social media displays announcements more often than rejection or uncertainty. The student can limit exposure to comparison triggers and measure progress against a personal plan. A job search is not a synchronized race.

Perfectionism appears productive but may cause delay, excessive checking, and fear of feedback. Defining "good enough" criteria before beginning a task helps. Submitting a solid application on time is often better than endlessly revising one document while missing other opportunities.

## A Career-Transition Plan

The student can schedule a fixed number of high-quality applications each week, adapt them to roles, and maintain a simple tracker. Networking should involve genuine conversations about work rather than asking strangers immediately for jobs. Alumni, faculty, placement offices, and professional groups may provide information and referrals.

Interview preparation can focus on a concise explanation of academic performance that accepts responsibility without self-attack. The student can emphasize improvement, competing responsibilities, relevant achievements, and what was learned. Employers are more likely to respond to evidence than to defensive excuses.

## When Professional Support Is Needed

A primary-care clinician can evaluate persistent fatigue, recurrent illness, sleep problems, or physical symptoms. A counselor can help with anxiety, low mood, perfectionism, trauma, or adjustment. Evidence-based approaches may include cognitive-behavioral techniques, problem-solving, and stress-management skills. Seeking support is not evidence that the student is incapable; it is a response to impaired functioning.

If the student expresses suicidal thoughts, feels unable to stay safe, or has severe symptoms, ordinary study tips are insufficient. Emergency services, a crisis line, or an urgent mental-health service should be contacted according to location. (National Health Service, 2025)

## A Four-Week Practical Schedule

During week one, the student can assess symptoms, restore a regular sleep window, map deadlines, and meet an academic or career adviser. Week two can focus on one high-priority academic weakness and a first set of tailored applications. Week three can review what is working, add a mock interview or portfolio improvement, and address financial or health barriers. Week four can consolidate routines and plan the next month based on outcomes rather than fear.

Each week should include protected recovery time. The plan is a guide, not another standard for self-criticism. If symptoms worsen despite reduced demands and support, professional assessment should take priority.

## Financial Stress and Practical Support

Money worries can make academic advice ineffective if the student is working excessive hours or

lacks food, housing, or transport. A financial-aid office may identify emergency grants, payment plans, food support, or employment options with predictable schedules. The student should distinguish essential spending from panic-driven purchases such as expensive courses promising guaranteed employment.

Financial planning can use a short horizon: list funds and required costs for the next eight to twelve weeks, contact creditors or the institution before missing payments, and protect time for high-value academic work. Shame often delays help. Universities should communicate support without requiring students to disclose their situation repeatedly to multiple offices.

## Faculty and Institutional Responsibilities

**Stress management** should not be assigned solely to students when course design creates avoidable overload. Programs can coordinate major deadlines, publish criteria early, provide timely feedback, and train staff to recognize distress. Career offices should avoid messages implying that one GPA determines a person's future.

Institutions can also provide quiet study space, accessible counseling, disability accommodations, peer mentoring, and clear crisis pathways. Prevention is stronger when services are culturally responsive and available beyond ordinary working hours for commuting and employed students.

## Monitoring Progress

The student can use a simple weekly check of sleep, mood, concentration, physical symptoms, completed priorities, and time spent on recovery. Improvement does not mean feeling calm every day; it means functioning becomes more stable and setbacks are manageable. If the plan produces no improvement, the response should change rather than demanding more willpower.

Monitoring should not become obsessive self-tracking. A few indicators are enough to identify patterns. The purpose is to support decisions about workload and help, not to create another grade.

## Conclusion

Final-year stress is common, but common does not mean harmless or unavoidable. The student in this case needs a balanced response involving realistic interpretation of GPA, prioritized work, effective study methods, sleep, physical care, social support, career planning, and attention to warning signs. Stress should not be glorified as the source of success. Sustainable performance comes from matching demands with resources and seeking help before health and functioning deteriorate. (World Health Organization, 2025)

## References

National Health Service. (2025). *Student stress: Self-help tips*.

<https://www.nhs.uk/mental-health/children-and-young-adults/help-for-teenagers-young-adults-and-students/student-stress-self-help-tips/>

World Health Organization. (2025). *Stress*.

<https://www.who.int/news-room/questions-and-answers/item/stress>

Wuthrich, V. M., Jagiello, T., & Azzi, V. (2020). Academic stress in the final years of school: A systematic literature review. *Child Psychiatry & Human Development*, 51, 986–1015.