

Work Life Balance and Personal Well Being

Posted on October 8, 2019

Introduction

Work-life balance describes the ongoing process of managing paid work alongside health, family, relationships, learning, rest, community, and personal meaning. The original essay correctly argues that balance is not a one-time achievement and that priorities, goals, sleep, and health matter. It also treats illness as evidence that a person has failed to maintain balance and links imbalance too quickly with addiction, sexually transmitted infections, and suicide. A more accurate analysis recognizes that balance is shaped by workload, income, caregiving, disability, discrimination, job control, housing, and organizational culture as well as individual choices. Personal routines help, but employers and institutions also determine whether sustainable living is realistically possible. (Greenhaus, Collins, & Shaw, 2003; World Health Organization, 2024)

Balance Is Not Equal Time

Balance does not mean dividing every day equally among work, family, exercise, friendships, and leisure. Needs change across a semester, project, illness, pregnancy, caregiving period, or financial crisis. A balanced week for one person may appear highly uneven to another. The more useful standard is whether important roles receive enough attention over time and whether demands remain compatible with health and chosen values. Temporary intensity can be reasonable when followed by recovery. Chronic overload is different because it turns exceptional effort into the normal condition. Balance is therefore dynamic alignment rather than a perfect schedule. It requires repeated adjustment when responsibilities, energy, and resources change. (Greenhaus, Collins, & Shaw, 2003)

Work as a Source of Well-Being

Work is not merely the enemy of personal life. Decent employment can provide income, structure, identity, mastery, social contact, and contribution to a community. People may find deep meaning in demanding careers, entrepreneurship, caregiving professions, or creative projects. Problems arise when work consumes so much time or psychological attention that it damages the capacities on which good work depends. Insecure or underpaid employment can also create imbalance even when hours are limited because the worker must hold several jobs or remain constantly available. A serious work-life discussion should therefore ask about job quality, predictability, fairness, autonomy, and support rather than treating fewer hours as the only solution. (World Health Organization, 2024)

Psychosocial Risks at Work

The World Health Organization identifies excessive workload, long or inflexible hours, low control, unclear roles, bullying, discrimination, weak support, and conflict between home and work as risks to mental health. These conditions cannot be corrected fully by telling employees to think positively. If staffing is inadequate, deadlines are impossible, or supervisors punish boundaries, personal coping strategies may only help workers endure a harmful system. Organizational interventions can redesign workload, improve scheduling, clarify responsibility, train managers, and create safe reporting channels. Individual resilience remains valuable, but it should not become a reason for employers to transfer all responsibility to the person experiencing strain. (World Health Organization, 2024; World Health Organization & International Labour Organization, 2022)

Long Working Hours and Physical Health

WHO and the International Labour Organization have linked working at least fifty-five hours per week with increased risk of ischemic heart disease and stroke compared with standard schedules. The finding does not mean that one long week inevitably causes disease, and individual risk varies. It does show that chronic overwork is not only a lifestyle inconvenience. Long hours can reduce sleep, movement, medical care, social connection, and recovery while increasing stress and unhealthy coping. Workers may accept overtime because of financial need or workplace expectations rather than personal ambition. Protecting health therefore requires realistic limits, staffing, paid leave, and income policies alongside individual decisions about boundaries. (World Health Organization & International Labour Organization, 2021)

Mental Health and Burnout

Persistent imbalance can contribute to exhaustion, irritability, reduced concentration, anxiety, depression, cynicism, and burnout. Burnout is specifically associated with chronic workplace stress and should not be used as a label for every form of sadness or fatigue. Mental-health conditions also arise for reasons unrelated to work, and a person should not be blamed for failing to achieve the correct attitude. Warning signs include inability to recover during time off, dread that persists across weeks, mistakes, conflict, sleep disruption, withdrawal, and loss of meaning. Early support can include workload review, clinical care, leave, reasonable accommodation, or changes in role. Emergency help is necessary when there is immediate risk of self-harm. (World Health Organization, 2024)

Sleep and Recovery

Adults commonly need at least seven hours of sleep, although individual needs vary and some require more. The original range of six to nine hours may normalize insufficient sleep for many adults. Sleep

supports memory, mood regulation, immune function, metabolism, and safe performance. Recovery also includes mental detachment from work, leisure, physical rest, and unstructured time. A worker who answers messages in bed may technically be off duty while remaining psychologically activated. Helpful practices include consistent sleep opportunity, reduced late-night work, management of caffeine and alcohol, and device boundaries. Shift workers and caregivers may need organizational support because personal discipline cannot create sleep opportunity when schedules remain unstable.

Physical Activity and Nutrition

Movement and nutritious food support health, but balance should not be reduced to restrictive dieting, supplements, or an “ideal” weight. People have different bodies, medical needs, cultural diets, incomes, and access to safe exercise. Sustainable strategies include regular meals, adequate hydration, vegetables, fruits, whole grains, protein sources, and enjoyable movement adapted to ability. Multivitamins are not universally necessary and should not substitute for medical evaluation or food access. During busy periods, preparation and workplace conditions matter: breaks, refrigeration, affordable options, and schedule predictability influence behavior. Health advice becomes more ethical when it removes barriers rather than assuming that everyone has the same time and resources.

Boundaries and Availability

Digital communication has blurred the boundary between work and home by making employees reachable across locations and time zones. Boundaries can include defined working hours, notification settings, response-time expectations, and a separate place for work when possible. A boundary is effective only when colleagues and supervisors respect it. Workers with less power may fear that delayed replies will harm promotion or job security. Teams should therefore establish shared norms rather than require each employee to negotiate alone. Emergencies and global collaboration sometimes require flexibility, but constant urgency is usually a management failure. Predictable exceptions preserve trust better than a culture in which every message is treated as immediate. (Allen et al., 2013)

Priorities and Values

Prioritization begins with identifying responsibilities and values rather than ranking every task by external urgency. A person may value family presence, financial security, spiritual practice, learning, health, or service, and those values can conflict. Decisions become clearer when commitments are written and translated into protected time or minimum standards. Priorities should not become another perfectionist system. Some tasks can be completed adequately rather than exceptionally, delegated, postponed, or abandoned. Saying yes to one opportunity consumes time that cannot be

used elsewhere. Balance improves when people evaluate the opportunity cost of commitments before the calendar becomes full, not only when stress appears afterward. (Greenhaus, Collins, & Shaw, 2003)

Goals and Flexible Planning

Short- and long-term goals can organize effort, but rigid plans may intensify imbalance when life changes. A useful plan separates outcomes from methods. The outcome may be completing a qualification, while the method can change through part-time study, online courses, or a revised timeline. Specific goals help measurement, but they should include recovery and relationships rather than only productivity. Weekly planning can identify essential tasks, available energy, and likely disruptions. Buffer time reduces the tendency to treat every delay as failure. Review is as important as planning because a schedule that repeatedly requires sacrifice is evidence that assumptions or workload need revision.

Caregiving and Unequal Burden

Work-life balance is shaped strongly by unpaid care for children, older adults, relatives with disabilities, and household needs. Women often carry a disproportionate share, though family arrangements vary. Advice that assumes everyone can simply “make time” ignores the number and urgency of responsibilities. Paid leave, affordable childcare, flexible scheduling, predictable hours, and supportive partners change what balance is possible. Caregiving can also provide profound meaning and connection, so the goal is not to eliminate it but to distribute and support it fairly. Families should discuss invisible tasks such as planning appointments, monitoring supplies, and emotional coordination, not only visible chores. (Allen et al., 2013)

Financial Security

A person working multiple jobs to afford housing and food cannot solve imbalance through a better morning routine. Financial insecurity creates cognitive stress and limits choice over schedules, healthcare, transport, and leisure. Budgeting may help manage resources, but low income and unstable work are structural constraints. Employers contribute through adequate pay, benefits, scheduling notice, and pathways for development. Public policy affects childcare, healthcare, transport, and leave. Recognizing these factors does not remove personal agency. It places agency within realistic conditions and prevents balance discourse from becoming a privilege in which only high-income workers are expected to have time for health and family. (World Health Organization & International Labour Organization, 2022)

Substance Use and Coping

Some people respond to stress through alcohol, nicotine, gambling, sedatives, or other substances, but these behaviors should not be described as inevitable results of an “unbalanced lifestyle.” They may reflect addiction, trauma, social environment, mental-health conditions, or medical dependence and require compassionate assessment. Shame can delay treatment. Warning signs include loss of control, concealment, tolerance, withdrawal, financial harm, and continued use despite consequences. Support may involve primary care, counseling, peer groups, specialized treatment, and harm-reduction services. Rehabilitation centers are one option, not the only path. Prevention is strengthened when workplaces reduce stressors and people have accessible care before a crisis develops.

A Practical Balance Review

A monthly review can examine sleep, workload, relationships, movement, financial stress, health appointments, leisure, and emotional state. The purpose is to identify patterns rather than assign a score. Questions include: Which role is receiving too little attention? Which commitment no longer serves its purpose? What work demand can be renegotiated? Where is support available? What symptom needs professional care? One or two changes are more sustainable than a complete redesign. For example, a team might stop weekend email, a caregiver might arrange respite, or a student might reduce one activity. Balance grows through specific adjustments supported by systems, not through a vague promise to become calmer. (Greenhaus, Collins, & Shaw, 2003)

Conclusion

Work-life balance is a continuing negotiation among employment, health, relationships, care, rest, learning, finances, and meaning. It is not equal time, perfect control, or proof of personal virtue. Temporary imbalance can serve an important goal, but chronic overload increases risks to mental and physical health. Sleep, movement, nutrition, boundaries, priorities, and flexible planning help individuals, while workload, pay, leave, childcare, management, and social protection determine whether those practices are possible. Illness and distress should prompt support rather than blame. A balanced life is not one without pressure; it is one in which pressure remains recoverable, values remain visible, and no single role repeatedly destroys the capacity to live the others. (Greenhaus, Collins, & Shaw, 2003; World Health Organization, 2024)

References

1. World Health Organization. “Mental Health at Work.” Updated 2024.
2. World Health Organization and International Labour Organization. *Mental Health at Work: Policy*

Brief. 2022.

3. World Health Organization and International Labour Organization. "Long Working Hours Increasing Deaths from Heart Disease and Stroke." 2021.
4. Greenhaus, Jeffrey H., Karen M. Collins, and Jason D. Shaw. "The Relation between Work-Family Balance and Quality of Life." *Journal of Vocational Behavior*, vol. 63, 2003.
5. Allen, Tammy D., et al. "Work-Family Conflict and Flexible Work Arrangements." *Personnel Psychology*, 2013.